Cain & Bultman, Inc

Stocking Program

LVT, RUBBER, VCT, SHEET VINYL & FINISHING ACCESSORIES

QUICK SHIP

2145 Dennis St.
Jacksonville Fl 32204
(904) 356-4812 or (800) 874-1930
www.cainbultman.com

Pictured Summit Santa Rosa W7407

Tarkett

Norwood Hill Signature Series Fine Flooring Solutions

Johnsonite by Tarkett

МЛК2023

Wall Base

1-800-874-1930
www.cain-bultman.com

Colors: Dura Cove Rubber
See Profiles for specific stocking colors

Dura Cove Rubber Base

See profiles for specific stocking colors.

ITEM	PROFILE	LF/CT	STOCKING COLORS
Height: 4″ Length: 4' Item #: DC-XX-4	TOE	120	08 Icicle, 20 Charcoal, 21 Platinum, 22 Pearl, 24 Grey Haze, 28 Medium Grey, 29 Moon Rock, 32 Pebble, 38 Pewter, 40 Black, 47 Brown, 48 Grey, 49 Beige, 55 Silver Grey, 63 Burnt Umber, 80 Fawn, 283 Toast, TA4 Gateway, TA6 Bedrock, TA8 Welsh Castle, TB1 Peppercorn
Height: 4″ Length: 120' Item #: DC -XX-4R	TOE	120	08 Icicle, 20 Charcoal, 21 Platinum, 22 Pearl, 24 Grey Haze, 28 Medium Grey, 29 Moon Rock, 32 Pebble, 38 Pewter, 40 Black, 47 Brown, 48 Grey, 49 Beige, 55 Silver Grey, 63 Burnt Umber, 80 Fawn, 283 Toast, TA4 Gateway, TA6 Bedrock, TA8 Welsh Castle, TB1 Peppercorn
Height: 4.5″ Length: 120' I tem #: DC-XX-4.5	TOE	120	20 Charcoal, 40 Black, 63 Burnt Umber, 80 Fawn,29 Moon Rock, 49 Beige
Height: 6″ Length: 100' Item #: DC-XX-6-R	TOE	100	08 Icicle, 20 Charcoal, 21 Platinum, 22 Pearl, 28 Medium Grey, 29 Moon Rock, 32 Pebble, 38 Pewter, 40 Black, 47 Brown, 48 Grey, 49 Beige, 55 Silver Grey, 63 Burnt Umber, 80 Fawn, 283 Toast,TA4 Gateway, TA6 Bedrock, TA8 Welsh Castle, TB1 Peppercorn

DC-XX-4.5, DC-XX-4, DC-XX-6
With Toe
Height: 4″, 4.5″, and 6″
Thickness: .125″ Lengths: 4' and 120' coils.

Vinyl Cove Base

See profiles for specific stocking colors.

ITEM	PROFILE	PC/CT	STOCKING COLORS
Height: 4″ Length: 4' Item #: CB-XX-4 Gauge - .080	TOE	120	40 Black, 48 Grey, 63 Burnt Umber
Height: 4″ Length: 120' Item #: CB-XX-4R Gauge - .080	TOE	120	40 Black, 48 Grey, 63 Burnt Umber,
Height: 6″ Length: 120' Item #: CB-XX-6R Gauge - .080	TOE	120	40 Black, 63 Burnt Umber
Height: 4″ Length: 4' Item #: CB-XX-4 Gauge - 1/8″	TOE	120	08 Icicle, 18 Navy Blue, 20 Charcoal, 21 Platinum, 24 Grey Haze, 28 Medium Grey, 29 Moon Rock, 32 Pebble, 38 Pewter 40 Black, 47 Brown, 48 Grey, 49 Beige, 50 White, 55 Silver Grey, 63 Burnt Umber 71 Storm Cloud, 80 Fawn, 283 Toast, TA4 Gateway, TA6 Bedrock, TA8 Welsh Castle
Height: 4″ Length: 120' Item #: CB-XX-4R Gauge - 1/8″	TOE	120	08 Icicle, 18 Navy Blue, 20 Charcoal, 21 Platinum, 24 Grey Haze, 28 Medium Grey, 29 Moon Rock, 32 Pebble, 38 Pewter 40 Black, 47 Brown, 48 Grey, 49 Beige, 50 White, 55 Silver Grey, 63 Burnt Umber,71 Storm Cloud, 80 Fawn, 283 Toast, TA4 Gateway, TA6 Bedrock,TA8 Welsh Castle
Height: 6″ Length: 100' Item #: CB-XX-6-R Gauge - 1/8″	TOE	100	08 Icicle, 20 Charcoal, 21 Platinum, 24 Grey Haze, 29 Moon Rock, 32 Pebble, 38 Pewter 40 Black, 47 Brown, 48 Grey, 49 Beige, 50 White, 55 Silver Grey, 63 Burnt Umber 71 Storm Cloud, 283 Toast, TA6 Bedrock, TA8 Welsh Castle

CB-XX-4,
CB-XX-6
With Toe
Height:, 4″, and 6″
Thickness: .125″
Lengths: 4' and 120' coils

Colors: Vinyl Cove Base
See Profiles for specific stocking colors

08 Icicle | 18 Navy Blue | 20 Charcoal | 21 Platinum | 24 Grey Haze | 28 Med.Grey | 29 Moon Rock | 32 Pebble | 38 Pewter | 40 Black | 47 Brown | 48 Grey | 49 Beige | 50 White

55 Silver Grey | 63 Burnt Umber | 71 Storm Cloud | 80 Fawn | 283 Toast | TA4 Gateway | TA6 Bedrock | TA8 Welsh Castle

ADHESIVE	PRODUCTS	POROUS SUBSTRATES		NON-POROUS SUBSTRATES		MOISTURE AND pH LIMITS		
		Trowel Size	Coverage per Gal.	Trowel Size	Coverage per Gal.	RH%	$CaCl_2$	pH
960 Wall Base Adhesive	Acczent, Acczent Flourish, Acczent Wood Acoustiflor, Acczent Wood Safe-T, Aria 2.0 Sheet, Standard Plus Sheet, iQ Granit Sheet, iQ Granit SD Sheet, Granit Safe-T, Marbled Safe-T, Melodia 2.0 Sheet, iQ Natural Sheet, iQ Optima Sheet, Subfloor Leveler System, iQ Toro SC Sheet, Feature Strips	1/8 x 1/8 x 1/8 SQ	4″ = 200-250 lf. 6″ = 100-150 lf. 2.5″ = 300-350 lf.	USE 946 PREMIUM CONTACT ADHeSIVe		N/A	N/A	N/A
946 Premium Contact Adhesive	Wall Base, Transitions, Chair Rail, Stair Treads, Stair Nosings, Corner Guards,	Applied with a Brush or Roller 1 kg (.95 quart) unit 6 kg (1.44 gallon) unit *Coverage based on both sides	*24 - 36 sq. ft. per unit *144 - 215 sq. ft. per unit	Applied with a Brush or Roller 1 kg (.95 quart) unit 6 kg (1.44 gallon) unit *Coverage based on both sides	*24 - 36 sq. ft. per unit *144 - 215 sq. ft. per unit	85%	7 lbs.	7-9

Finishing Accents

1-800-874-1930
www.cain-bultman.com

Residential Wall Base

ITEM	PROFILE	PC/CT	STOCKING COLORS
4" x 48" x.080 LF / CTN 120' Item #: RWB-XX408 DIMENSION 4" X 48" Gauge - .080	STICKS	30PC	**BW** Bright White, **CBR** Cocoa Brown, **WG** Warm Grey, **DS** Dark Stone, **GC** Graphic Charcoal, **EB** Espresso Brown, **CBL** Carbon Black
4" X 48" X .080 Item #:WB-XX408R DIMENSION 4" X120 Gauge - .080	COIL	1 PC	**BW** Bright White, **CBR** Cocoa Brown, **WG** Warm Grey, **DS** Dark Stone, **GC** Graphic Charcoal, **EB** Espresso Brown, **CBL** Carbon Black

Cocoa Brown | RWB-CBR

Bright White | RWB-BW

Espresso Brown | RWB-EB

Dark Stone | RWB-DS

Graphic Charcoal | RWB-GC

Warm Grey | RWB-WG

Carbon Black | RWB-CBL

Millwork Wall Base

Available Colors:
01 Snow White, 08 Icicle, 32 Pebble, 40 Black,
63 Burnt Umber, 121 Cement

MW-XX-F
Reveal
Height: 4.25″
Thickness: .25″
Lengths: 8'

MW-XX-H
Mandalay
Height: 4.5″
Thickness: .375″
Lengths: 8'

ADHESIVE	PRODUCTS	POROUS SUBSTRATES		NON-POROUS SUBSTRATES		MOISTURE AND pH LIMITS		
		Trowel Size	Coverage per Gal.	Trowel Size	Coverage per Gal.	RH%	$CaCl_2$	pH
960 Wall Base Adhesive	Acczent, Acczent Flourish, Acczent Wood Acoustiflor, Acczent Wood Safe-T, Aria 2.0 Sheet, Standard Plus Sheet, iQ Granit Sheet, iQ Granit SD Sheet, Granit Safe-T, Marbled Safe-T, Melodia 2.0 Sheet, iQ Natural Sheet, iQ Optima Sheet, Subfloor Leveler System, iQ Toro SC Sheet, Feature Strips	1/8 x 1/8 x 1/8 SQ	4" = 200-250 lf. 6" = 100-150 lf. 2.5" = 300-350 lf.	USE 946 PREMIUM CONTACT ADHeSIVe		N/A	N/A	N/A
946 Premium Contact Adhesive	Wall Base, Transitions, Chair Rail, Stair Treads, Stair Nosings, Corner Guards,	Applied with a Brush or Roller 1 kg (.95 quart) unit 6 kg (1.44 gallon) unit	*24 - 36 sq. ft. per unit *144 - 215 sq. ft. per unit	Applied with a Brush or Roller 1 kg (.95 quart) unit 6 kg (1.44 gallon) unit	*24 - 36 sq. ft. per unit *144 - 215 sq. ft. per unit	85%	7 lbs.	7-9
		*Coverage based on both sides		*Coverage based on both sides				

Luxury Vinyl Tile and Planks

1-800-874-1930
www.cain-bultman.com

iD LATITUDE

Surface Treatment: Techtonic; Total Thickness: 0.125″ (3 mm); Wear Layer Thickness: 20 mil with Techtonic
Installation Method: Roll or Glue;
Adhesive: RollSmart, 959, 975; Pattern: Wood, Stone, & Abstract



HEARTHSTONE
7242

CRISTALLO
7235



18" x 18"

URBAN OAK
3603

VINTAGE OAK
3530

TAOS OAK
3605

AMERICAN
CHERRY 3305

6" x 48"

CHAMOIS OAK
3606

BLANCHED PINE
5134

ACADIA PINE
5136

Peppercorn
4695
Until Inventory is depleted

ADHESIVE	PRODUCTS	POROUS SUBSTRATES		NON-POROUS SUBSTRATES		MOISTURE AND pH LIMITS		
		Trowel Size	Coverage per Gal.	Trowel Size	Coverage per Gal.	RH%	$CaCl_2$	pH
959HM Vinyl Tile and Plank Adhesive	Azterra, Color Essence, Color Essence SR, Cortina Grande, Cortina Grande SR, iD Latitude , Contour Collections, Event, iD Inspiration	1/16 x 1/16 x1/16 Square-notch	125-150 sq. ft.	1/16x 1/32x 1/32 U-notch	250 - 300 sq. ft.	95%	8 lbs.	7-10
	Acczent Wood Acoustiflor, Defiant, Linoleum Sheet, Inertia, iQ Optima Acoustiflor, Replay, Rubber Floor Tiles, Rubber and Vinyl Stair Treads, Vinyl Mouldings, Vinyl Nosings, Feature Strips, Tactile Warning Strips, Training, Triumph, Veneto Acoustiflor	1/16 x 1/16 x 1/16 V	150 - 175 sq. ft.	1/16 x 1/16 x 1/16 V	150 - 175 sq. ft.			
975 Two-Part Urethane Adhesive	Acczent, Acczent Flourish, Acczent Steel, Acczent Wood Safe-T, Arcade Rubber Sheet, Aria 2.0 Sheet & Tile, Azrock VCT and Feature Strips, Azrock Textile VCT, Azrock VCT Basketball Kit, Azterra, Color Essence, Color Es-sence SR, Standard Plus Sheet & Tile, Cortina Grande, Cortina Grande SR, GemStone, iQ Granit Sheet & Tile, Granit Safe-T, iQ Granit SD Sheet, iD Freedom, iD Inspiration, iD Latitude Marbled Safe-T, Melodia 2.0 Sheet & Tile, iQ Natural Sheet, iQ Optima Sheet & Tile, iQ Toro SC Sheet, Karim Kolors, Karim Shapes	1/32 x 1/16 x 1/32 U	225 - 250 sq. ft.	1/32 x 1/16 x 1/32 U	225 - 250 sq. ft.	85%	7 lbs.	9
RollSmart	Acczent, Acczent Flourish, Acczent Wood Safe-T, Aria 2.0 Sheet, Standard Plus Sheet, IQ Granit Sheet, Granit Safe-T, Marbled Safe-T, Melodia 2.0 Sheet, IQ Natural Sheet, iQ Optima Sheet, Aloft, ID Freedom, andID Inspirations 55 & 70, ID Latitude	3/8″ Nap Paint Roller (used with a paint tray) 350 - 400 sq. ft.		3/8″ Nap Paint Roller (used with a paint tray) 350 - 400 sq. ft.		95%	8 lbs.	10

Summit LVT Collection

1-800-874-1930
www.cain-bultman.com
www.norwoodhill.com

7 x 48 Planks

Surface Treatment: Resolute Ultra Shield Surface Coating ;
Installation Method: Full Spread (Above,Below and On-Grade)
Adhesive: Bondlink,Apex Pro or Tufflink

all Colors available in 6mil, 12mil and 20mil

Riverside W7401

San Marco W7402

Julington W7403

Baymeadow W7404

Waverly W7405

Southwood W7406

Santa Rosa W7407

Product ID	Sf in CT	Thickness
6mil E120EON	51.24	2.0mm(.20mm)
12mil L120EON	51.24	2.0mm(.30mm)
20mil S125E0N	41.98	2.5mm(.50mm)

The Photo may not reflect the actual color.

Product Code	Description	UOM	Estimated Coverage	Tool	RH/PH
APEX PRO TAYAPEXPRO2-10	UNLIMITED Moisture Vaport Barrier Hard-Set Resilient Flooring Adhesive	2GAL	220 - 260 SF/GAL	1/16" X 1/32" C 1/32" U Notch	100%/14
TUFFLINK™ TAYTUFFLINK4-10	Firm-Set Pressure Sensative Reilient & Carpet Flooring Adhesive	4 GAL	Porous 150 - 180 sf/gal Non-porous 220 - 260 sf/gal	Porous - 1/16" x 1/16" X 1/16" Sq Notch Non-porous 1 /16" x 1 /32" X 1 /32" u Notch	99%/12
BONDLINK TAYBONDLINK4-10	Hard-Set Transitional Pressure Sensitive Resilient Flooring Adhesive	4 GAL	Porous and Non-porous 220 - 1 /32" x 1 /32" U 260 SF/GAL Notch	Porous - 1/16" x 1/16" Sq Notch Non-Porous 1/16"x1/32" x1/32" u Notch	99%/12

1-800-874-1930
www.cain-bultman.com

Sheet Vinyl

iQ OPTIMA - 2mm x 6' 5" x 82' 7"

Total Thickness: 0.080" (2 mm); ***Wear Layer Thickness:*** 0.080" (2 mm); ***Seaming***: Cold Weld/Heat Weld;
Installation Method: Glue-Down; ***Adhesive:*** RollSmart, 925, 975; Pattern: Optima;
Key Features: Homogeneous sheet, Certified Asthma & Allergy Friendly, iQ no wax, no finish construction

EQYPTIAN SCROLLS
0246
WELD ROD SOLID:
1292319
WELDRODPATTERN:
1290290

SUMMER MOON
205
WELD ROD:
1287838

BELUGA 886
WELD ROD:
1291609

PERFORMA - 2mm x 6' x 75'

Surface Treatment: PU Mat; Total Thickness: 0.080" (2.3 mm); Wear Layer Thickness: 25 mil (0.64 mm); Installation Method: Glue-Down;
Adhesive: RollSmart, 925, 975; Pattern: Performa;
Key Features: Economical heterogeneous sheet solution, Long wear with Best in Category Performance

URBAN ASH
MAGNOLIA 55013
WELD ROD:
WR1292207

ADHESIVE	PRODUCTS	POROUS SUBSTRATES		NON-POROUS SUBSTRATES		MOISTURE AND pH LIMITS		
		Trowel Size	Coverage per Gal.	Trowel Size	Coverage per Gal.	RH%	$CaCl_2$	pH
925 Resilient Flooring Adhesive	Acccent, Acccent Flourish, Acccent Wood Acoustiflor, Acccent Wood Safe-T, Aria 2.0 Sheet, Standard Plus Sheet, iQ Granit Sheet, iQ Granit SD Sheet, Granit Safe-T, Marbled Safe-T, Melodia 2.0 Sheet, iQ Natural Sheet, iQ Optima Sheet, Subfloor Leveler System, iQ Toro SC Sheet, Feature Strips	1/32 x 1/16 x 1/32 U	250 - 300 sq. ft.	1/32 x 1/16 x 1/32 U	250 - 300 sq. ft.	85%	7 lbs.	9
	Acccent Wood Acoustiflor and Optima Acoustiflor	1/16 x 1/16 x 1/16 SQ	125 - 150 sq. ft.	1/16 x 1/16 x 1/16 V	150 - 175 sq. ft.			
	Training	1/16 x 1/16 x 1/16 SQ	125 - 150 sq. ft.	1/16 x 1/16 x 1/16 SQ	125 - 150 sq. ft.			
975 Two-Part Urethane Adhesive	Acccent Wood Acoustiflor, Defiant, Linoleum Sheet, Inertia, iQ Optima Acousti-flor, Replay, Rubber Floor Tiles, Rubber and Vinyl Stair Treads, Vinyl Mouldings, Vinyl Nosings, Feature Strips, Tactile Warning Strips, Training, Triumph, Veneto Acoustiflor	1/16 x 1/16 x 1/16 V	150 - 175 sq. ft.	1/16 x 1/16 x 1/16 V	150 - 175 sq. ft.	85%	7 lbs.	9
	Acccent, Acccent Flourish, Acccent Steel, Acccent Wood Safe-T, Arcade Rubber Sheet, Aria 2.0 Sheet & Tile, Azrock VCT and Feature Strips, Azrock Textile VCT, Azrock VCT Basketball Kit, Azterra, Color Essence, Color Essence SR, Standard Plus Sheet & Tile, Cortina Grande, Cortina Grande SR, GemStone, iQ Granit Sheet & Tile, Granit Safe-T, iQ Granit SD Sheet, iD Freedom, iD Inspiration, iD Latitude Marbled Safe-T, Melodia 2.0 Sheet & Tile, iQ Natural Sheet, iQ Optima Sheet & Tile, iQ Toro SC Sheet, Karim Kolors, Karim Shapes	1/32 x 1/16 x 1/32 U	225 - 250 sq. ft.	1/32 x 1/16 x 1/32 U	225 - 250 sq. ft.			
RollSmart	Acccent, Acccent Flourish, Acccent Wood Safe-T, Aria 2.0 Sheet, Standard Plus Sheet, iQ Granit Sheet, Granit Safe-T, Marbled Safe-T, Melodia 2.0 Sheet, iQ Natural Sheet, iQ Optima Sheet, Aloft, iD Freedom, and iD Inspirations 55 & 70, iD Latitude	3/8" Nap Paint Roller (used with a paint tray) 350 - 400 sq. ft.		3/8" Nap Paint Roller (used with a paint tray) 350 - 400 sq. ft.		90%	8 lbs.	10
Cold Weld Liquid	Acccent, Acccent Flourish, Aria 2.0 Sheet, Standard Plus Sheet, iQ Granit Sheet, iQ Granite SD Sheet, Melodia 2.0 Sheet, iQ Natural Sheet, iQ Optima Sheet, iQ Toro SC Sheet	4.5 Ounce Tube	175 - 200 ln. ft. per tube	4.5 Ounce Tube	175 - 200 ln. ft. per tube	N/A	N/A	N/A

1-800-874-1930
www.cain-bultman.com

QUICK SHIP

12″ x 12″ VCT II

VINYL COMPOSITION TILE

Total Thickness: 0.125″ (3.18 mm); Installation Method: Glue-Down

480 PURE WHITE

509 PEWTER



522 STEEL WORKS

533 TRUE BEIGE

556 Sandstone



557 SHOOTING STAR



569 EBONY



579 BLUE DROP

580 MINERAL WHITE



593 MUSHROOM

ADHESIVE	PRODUCTS	POROUS SUBSTRATES		NON-POROUS SUBSTRATES		MOISTURE AND pH LIMITS		
		Trowel Size	Coverage per Gal.	Trowel Size	Coverage per Gal.	RH%	$CaCl_2$	pH
100 Clear Thin Spread	Azrock VCT, Solids and Feature Strips, Textile VCT, VCT Basketball Kit	1/32 x 1/16 x 1/32 U	250 - 300 sq. ft.	1/32 x 1/16 x 1/32 U	250 - 300 sq. ft.	95%	8 lbs.	10
901 SpraySmart Resilient Flooring Spray Adhesive	Azrock VCT, Solids and Feature Strips, Textile VCT, and VCT Basketball Kit	200 sq. ft. per 22 oz. can 1,200 sq. ft. per carton		200 sq. ft. per 22 oz. can 1,200 sq. ft. per carton		90%	8 lbs.	10
	Azterra, Color Essence, Color Essence SR, Cortina Grande, Cortina Grande SR, GemStone, Karim Kolors, Karim Shapes	160 sq. ft. per 22 oz. can 960 sq. ft. per carton		160 sq. ft. per 22 oz. can 960 sq. ft. per carton				
	Acczent, Acczent Flourish, Acczent Wood Acoustiflor, Acczent Wood Safe-T, Aria 2.0 Sheet, Standard Plus Sheet, iQ Granit Sheet, Granit Safe-T, Marbled Safe-T, Melodia 2.0 Sheet, iQ Natural Sheet, iQ Optima Sheet, iQ Optima Acoustiflor,	150 sq. ft. per 22 oz. can 900 sq. ft. per carton		150 sq. ft. per 22 oz. can 900 sq. ft. per carton				
	Circulinty Collection, Defiant, Folio Collection, Inertia, Mesto, Mesto Configurations, MicroTone, Minerality, Prima Marbleized & Olio, Triumph, Replay Sheet & Tile, Solid Color, Subfloor Leveler System. * Not recommended for EcoShell w/cork, Corktones or Metallurgy	80 sq. ft. per 22 oz. can 480 sq. ft. per carton		80 sq. ft. per 22 oz. can 480 sq. ft. per carton		85%	7 lbs.	10
975 Two-Part Urethane Adhesive	Acczent Wood Acoustiflor, Defiant, Linoleum Sheet, Inertia, iQ Optima Acoustiflor, Replay, Rubber Floor Tiles, Rubber and Vinyl Stair Treads, Vinyl Mouldings, Vinyl Nosings, Feature Strips, Tactile Warning Strips, Training, Triumph, Veneto Acoustiflor	1/16 x 1/16 x 1/16 V	150 - 175 sq. ft.	1/16 x 1/16 x 1/16 V	150 - 175 sq. ft.			
	Acczent, Acczent Flourish, Acczent Steel, Acczent Wood Safe-T, Arcade Rubber Sheet, Aria 2.0 Sheet & Tile, Azrock VCT and Feature Strips, Azrock Textile VCT, Azrock VCT Basketball Kit, Azterra, Color Essence, Color Es-sence SR, Standard Plus Sheet & Tile, Cortina Grande, Cortina Grande SR, GemStone, iQ Granit Sheet & Tile, Granit Safe-T, iQ Granit SD Sheet, iD Freedom, iD Inspiration, iD Latitude Marbled Safe-T, Melodia 2.0 Sheet & Tile, iQ Natural Sheet, iQ Optima Sheet & Tile, iQ Toro SC Sheet, Karim Kolors, Karim Shapes	1/32 x 1/16 x 1/32 U	225 - 250 sq. ft.	1/32 x 1/16 x 1/32 U	225 - 250 sq. ft.	85%	7 lbs.	

Rubber Tile



Black 40



Grey 48



Burnt Umber 63

RT-XX-RD.125
Size: 24″ X 24″Thickness: .125″
Raised Round Surface

Available Colors: 48 Grey, 40 Black, 63 Burnt Umber

Solid Rubber Tread

Without Risers

Available Colors: 40 Black, 48 Grey, 63 Burnt Umber 5′ length



RNRD-XX-5RD
Raised round Surface,tread (square nose)

Solid Rubber Treads

With Riser One Piece

Available Colors: 40 Black, 48 Grey, 63 Burnt Umber 5′ length

RNRDTR-XX-5RD
Raised round Surface,-One Piece Tread/ Riser (square nose)

ADHESIVE	PRODUCTS	POROUS SUBSTRATES		NON-POROUS SUBSTRATES		MOISTURE AND pH LIMITS		
		Trowel Size	Coverage per Gal.	Trowel Size	Coverage per Gal.	RH%	$CaCl_2$	pH
965 Flooring and Tread Adhesive	Rubber Floor Tiles, Defiant, Feature Strips, Vinyl Mouldings, Rubber and Vinyl Stair Treads, Vinyl Stair Nosings, Subfloor Leveler System, Tactile Warning Strips	1/16 x 1/16 x 1/16 SQ	125 - 150 sq. ft.	1/16 x 1/16 x 1/16 V	150 - 175 sq. ft.	85%	7 lbs.	7-9
	Inertia, Triumph and Replay Sheet & Tile	1/8 x 1/16 x 1/8 V	75 - 100 sq. ft.	1/8 x 1/16 x 1/8 V	75 - 100 sq. ft.			
946 Premium Contact Adhesive	Wall Base, Transitions, Chair Rail, Stair Treads, Stair Nosings, Corner Guards,	Applied with a Brush or Roller 1 kg (.95 quart) unit 6 kg (1.44 gallon) unit *Coverage based on both sides	*24 - 36 sq. ft. per unit *144 - 215 sq. ft. per unit	Applied with a Brush or Roller 1 kg (.95 quart) unit 6 kg (1.44 gallon) unit *Coverage based on both sides	*24 - 36 sq. ft. per unit *144 - 215 sq. ft. per unit	85%	7 lbs.	7-9
930 Epoxy Caulking Compound	Rubber and Vinyl Stair Treads, Vinyl Stair Nosing	30 ounce Cartridge	1/4′ = 50 lf.	30 ounce Cartridge	1/4′ = 50 lf.	N/A	N/A	N/A

POWER TAPE SELF ADHESIVE TAPE SYSTEM INSTALLATION KITS				
Type	SAP Part Number	Unit Size	Approx. Lbs Per Unit	Coverage
301 I TREAD TAPE 9.5″ I (1 ROLL @ 9.5″)	297038301	Roll (1 Per Box)	10	164 Lineal Feet/Roll
302 I TREAD & RISER TAPE 9.5″ I (2 ROLLS @ 9.5″)	297038302	Roll (2 Per Box)	19	164 Lineal Feet/Roll
310 I 1″ TAPE I (12 ROLLS @ 1″)	297038310	Roll (12 Per Box)	12	164 Lineal Feet/Roll
315 I 1.5″ TAPE I (8 ROLLS @ 1.5″)	297038315	Roll (8 Per Box)	12	164 Lineal Feet/Roll

Subfloor Leveler System

1-800-874-1930
www.cain-bultman.com

QUICK SHIP

Available Color: 40 Black



LS40
4' Pieces
Reduces 1/4" to 0"
Can be cut at score line to reduce height as indicated.



LS40D
4' Pieces
Reduces 3/8" To 0".
Can be cut at score lineto reduce height as indicated.



LS40E
4'Pieces
Reduces 1/2" To 0".
Canbe cut at score line to reduce height as indicated.

T Moldings

Available Colors:
18 Navy Blue, 20 Charcoal, 28 Medium Gray, 40 Black, 47 Brown, 48 Grey, 49 Beige, 63 Burnt Umber, 80 Fawn.TA4 Gateway

63 Burnt Umber



CE-XX-A
1/4" and 5/16" to 1/8" material

Track Base

Aluminum Track-Pinless
for glue-down Installation

Length 12ft



MT 00 A
Aluminum Track – Pinless for glue-down installation



Reducer

Available Colors: 40Black, 20 charcoal





SSR-XX-B
35' Roll
1/16" through 1/8" material to floor

ADHESIVE	PRODUCTS	POROUS SUBSTRATES		NON-POROUS SUBSTRATES		MOISTURE AND pH LIMITS		
		Trowel Size	Coverage per Gal.	Trowel Size	Coverage per Gal.	RH%	$CaCl_2$	pH
946 Premium Contact Adhesive	Wall Base, Transitions, Chair Rail, Stair Treads, Stair Nosings, Corner Guards,	Applied with a Brush or Roller 1 kg (.95 quart) unit 6 kg (1.44 gallon) unit	*24 - 36 sq. ft. per unit *144 - 215 sq. ft. per unit *Coverage based on both sides	Applied with a Brush or Roller 1 kg (.95 quart) unit 6 kg (1.44 gallon) unit	*24 - 36 sq. ft. per unit *144 - 215 sq. ft. per unit *Coverage based on both sides	85%	7 lbs.	7-9
965 Flooring and Tread Adhesive	Rubber Floor Tiles, Defiant, Feature Strips, Vinyl Mouldings, Rubber and Vinyl Stair Treads, Vinyl Stair Nosings, Subfloor Leveler System, Tactile Warning Strips	1/16 1/16 x 1/16 SQ	125 - 150 sq. ft.	1/16 x 1/16 x 1/16 V	150 - 175 sq. ft.	85%	7 lbs.	7-9
	Inertia, Triumph and Replay Sheet & Tile	1/8 x 1/16 x 1/8 V	75 - 100 sq. ft.	1/8 x 1/16 x 1/8 V	75 -100 sq. ft.			
	Azrock VCT, Solids and Feature Strips, Textile VCT, and VCT Basketball Kit	200 sq. ft. per 22 oz. can 1,200 sq. ft. per carton		200 sq. ft.per 22 oz. can 1,200 sq. ft. per carton				
	Azterra, Color Essence, Color Essence SR, Cortina Grande, Cortina Grande SR, GemStone, Karim Kolors, Karim Shapes	x 160 sq. ft. per 22 oz. can 960 sq. ft. per carton		160 sq. ft.per 22oz. can 960 sq. ft. per carton				
901 SpraySmart Resilient Flooring Spray Adhesive	Acczent, Acczent Flourish, Acczent Wood Acoustiflor, Acczent Wood Safe-T, Aria 2.0 Sheet, Standard Plus Sheet, iQ Granit Sheet, Granit Safe-T, Marbled Safe-T, Melodia 2.0 Sheet, iQ Natural Sheet, iQ Optima Sheet, iQ Optima Acoustiflor,	150 sq. ft. per 22 oz. can 900 sq. ft. per carton		150 sq. ft. per 22oz. can 900 sq. ft. per carton		90%	8 lbs.	10
	Circulinty Collection, Defiant, Folio Collection, Inertia, Mesto, Mesto Configurations, MicroTone, Minerality, Prima Marbleized & Olio, Triumph, Replay Sheet & Tile, Solid Color, Subfloor Leveler System. * Not recommended for EcoShell w/cork, Corktones or Metallurgy	80 sq. ft. per 22 oz. can 480 sq. ft. per carton		80 sq. ft. per 22 oz. can 480 sq. ft. per carton		85%	7 lbs.	10
925 Resilient Flooring Adhesive	Acczent, Acczent Flourish, Acczent Wood Acoustiflor, Acczent Wood Safe-T, Aria 2.0 Sheet, Standard Plus Sheet, iQ Granit Sheet, iQ Granit SD Sheet, Granit Safe-T, Marbled Safe-T, Melodia 2.0 Sheet, iQ Natural Sheet, iQ Optima Sheet, Subfloor Leveler System, iQ Toro SC Sheet, Feature Strips	1/32 x 1/16 x 1/32 U	250 - 300 sq. ft.	1/32 x 1/16 x 1/32 U	250 - 300 sq. ft.			
	Acczent Wood Acoustiflor and Optima Acoustiflor	1/16 x 1/16 x 1/16 SQ	125 - 150 sq. ft.	1/16 x 1/16 x 1/16 V	150 - 175 sq. ft.	85%	7 lbs.	9
	Training	1/16 x 1/16 x 1/16 SQ	125 - 150 sq. ft.	1/16 x 1/16 x 1/16 SQ	125 - 150 sq. ft.			

Edge Guards

Available Colors:
18 Navy Blue,20 Charcoal,28 Medium Gray, 29 Moon Rock, 32 Pebble, 40 Black, 48 Grey, 63 Burnt Umber,TA4 Gateway





40 Black EG-XX-G
5/16" material to floor





EG-XX-H
1/4" material to floor 32 Pebble

Cove Filler

CFS-00-A

1-1/4" radius





Cove Cap

Available Colors: 49 Beige, 24 Gray Haze, 09 Clay, 129 Silk



SCC-XX-A
For 1/8" material *49 Beige*



Self Stick Tub Moulding

TM50

1-1/2" height
(self-stick)
Luster finish cove for bathtub, counter and shelves.
Available in 50 White only.



Adaptors

Available Colors:
18 Navy Blue, 20 Charcoal, 28 Medium Gray,29 Moon Rock, 32 Pebble, 40 Black, 47 Brown, 48 Grey, 63 Burnt Umber, 80 Fawn,TA4 Gateway

80 Fawn



CTA-XX-A
1/4" to 1/8" material

Wheeled Traffic Transitions

Available Color: 40 Black





CTA-XX-J
1/4" material to subfloor

Notes

Cain & Bultman, Inc
2145 Dennis St
Jacksonville, FL 32204
(904) 356-4812 or (800) 874-1930
www.cainbultman.com