

Cain & Bultman, Inc

Stocking Program

LVT, RUBBER, VCT, SHEET VINYL & FINISHING ACCESSORIES



2145 Dennis St.
Jacksonville FL 32204

(904) 356-4812 or (800) 874-1930
www.cainbultman.com



Pictured
Summit
Santa Rosa
W7407



Johnsonite

by  **Tarkett**

Wall Base



1-800-874-1930
www.cain-bultman.com

QUICK
SHIP

Colors: Dura Cove Rubber

See Profiles for specific stocking colors



DC-XX-4.5, DC-XX-4, DC-XX-6

With Toe
Height: 4", 4.5", and 6"
Thickness: .125"
Lengths: 4' and 120' coils.

Dura Cove Rubber Base See profiles for specific stocking colors.

ITEM	PROFILE	LF/CT	STOCKING COLORS
Height: 4" Length: 4' Item #: DC-XX-4	TOE	120	20 Charcoal, 28 Medium Grey, 29 Moon Rock, 40 Black, 47 Brown, 63 Burnt Umber <i>In stock until current inventory is sold - 24 Grey Haze, 49 Beige, 283 Toast, TA4 Gateway</i>
Height: 4" Length: 120' Item #: DC-XX-4R	TOE	120	08 Icicle, 20 Charcoal, 24 Grey Haze, 29 Moon Rock, 32 Pebble, 38 Pewter, 40 Black, 48 Grey, 55 Silver Grey, 63 Burnt Umber, 80 Fawn, 283 Toast, TA4 Gateway, TA6 Bedrock
Height: 4.5" Length: 120' Item #: DC-XX-4.5R	TOE	120	20 Charcoal, 32 Pebble, 40 Black, 63 Burnt Umber
Height: 6" Length: 100' Item #: DC-XX-6R	TOE	100	20 Charcoal, 29 Moon Rock, 40 Black, 48 Grey, 55 Silver Grey, 63 Burnt Umber, 80 Fawn

ADHESIVE	PRODUCTS	POROUS SUBSTRATES		NON-POROUS SUBSTRATES		MOISTURE AND pH LIMITS		
		Trowel Size	Coverage per Gal.	Trowel Size	Coverage per Gal.	RH%	CaCl ₂	pH
960 Wall Base Adhesive	Rubber and Vinyl Wall Base	1/8 x 1/8 x 1/8 SQ	4" = 200-250 lf. 6" = 100-150 lf. 2.5" = 300-350 lf.	USE 946 PREMIUM CONTACT ADHESIVE		N/A	N/A	N/A
946 Premium Contact Adhesive	Wall Base	Applied with a Brush or Roller 1 kg (.95 quart) unit 6 kg (1.44 gallon) unit *Coverage based on both sides		Applied with a Brush or Roller 1 kg (.95 quart) unit 6 kg (1.44 gallon) unit *Coverage based on both sides		85%	7 lbs.	9



1-800-874-1930

www.cain-bultman.com

QUICK
SHIP

Vinyl Cove Base

See profiles for specific stocking colors.

ITEM	PROFILE	PC/CT	STOCKING COLORS
Height: 4" Length: 4' Item #: CB-XX-4 Gauge - 1/8"	TOE	120	08 Icicle, 18 Navy Blue, 20 Charcoal, 29 Moon Rock, 32 Pebble, 40 Black, 47 Brown, 48 Grey, 55 Silver Grey, 63 Burnt Umber, 80 Fawn
Height: 4" Length: 120' Item #: CB-XX-4R Gauge - 1/8"	TOE	120	08 Icicle, 20 Charcoal, 24 Grey Haze, 29 Moon Rock, 32 Pebble, 38 Pewter, 40 Black, 48 Grey, 55 Silver Grey, 63 Burnt Umber, 71 Storm Cloud, 80 Fawn, 283 Toast, TA4 Gateway, TA6 Bedrock, TA8 Welsh Castle
Height: 6" Length: 100' Item #: CB-XX-6-R Gauge - 1/8"	TOE	100	20 Charcoal, 32 Pebble, 40 Black, 47 Brown, 48 Grey, 63 Burnt Umber

CB-XX-4,
CB-XX-6
With Toe
Height: 4", and 6"
Thickness: .125"
Lengths: 4' and 120' coils

Colors: Vinyl Cove Base [See Profiles for specific stocking colors](#)

08 Icicle	18 Navy Blue	20 Charcoal	24 Grey Haze	28 Med. Grey	29 Moon Rock	32 Pebble	30 Pewter	40 Black	47 Brown
48 Grey	49 Beige	55 Silver Grey	63 Burnt Umber	80 Fawn	283 Toast	TA4 Gateway	TA6 Bedrock	TA8 Welsh Castle	

ADHESIVE	PRODUCTS	POROUS SUBSTRATES		NON-POROUS SUBSTRATES		MOISTURE AND pH LIMITS		
		Trowel Size	Coverage per Gal.	Trowel Size	Coverage per Gal.	RH%	CaCl ₂	pH
960 Wall Base Adhesive	Rubber and Vinyl Wall Base	1/8 x 1/8 x 1/8 SQ	4" = 200-250 lf. 6" = 100-150 lf. 2.5" = 300-350 lf.	USE 946 PREMIUM CONTACT ADHESIVE		N/A	N/A	N/A
946 Premium Contact Adhesive	Wall Base	Applied with a Brush or Roller 1 kg (.95 quart) unit 6 kg (1.44 gallon) unit		Applied with a Brush or Roller 1 kg (.95 quart) unit 6 kg (1.44 gallon) unit		85%	7 lbs.	9
		*Coverage based on both sides		*Coverage based on both sides				




1-800-874-1930

www.cain-bultman.com

QUICK
SHIP

Johnsonite .080 Wall Base

ITEM	PROFILE	PC/CT	STOCKING COLORS
4" x 48" x .080 LF / CTN 120' Item #: RWB-XX408 DIMENSION 4" X 48" Gauge - .080	STICKS	30PC	08 Icicle, 40 Black <i>In stock until current inventory is sold - BW Bright White, CBL Carbon Black, BR Cocoa Brown, DG Dove Grey, GB Gallery Beige</i>
4" X 120" X .080 DIMENSION 4" X 120 Gauge - .080	COIL	1 PC	Commercial: 08 Icicle, 47 Brown, 40 Black, TG2 Shark Fin, 49 Beige <i>In-stock until current inventory is sold - 63 Burnt Umber</i> Residential: CBL Carbon Black

**Icicle | 08**

Bright White | RWB-BW

**Brown | 47**

Cocoa Brown | RWB-CBR

**Black | 40**

Carbon Black | RWB-CBL

**Beige | 49**

Gallery Beige | RWB-GB

**Shark Fin | TG2**

Dove Grey | RWB-DG

Millwork Wall Base

Available Colors: 08 Icicle, 29 Moon Rock 32 Pebble, 40 Black, 63 Burnt Umber

**MW-XX-F**

Reveal

Height: 4.25"

Thickness: .25"

Lengths: 8'


**MW-XX-H**

Mandalay

Height: 4.5"

Thickness: .375"

Lengths: 8'

**08 Icicle****29 Moon Rock****40 Black****63 Burnt
Umber**

ADHESIVE	PRODUCTS	POROUS SUBSTRATES		NON-POROUS SUBSTRATES		MOISTURE AND pH LIMITS		
		Trowel Size	Coverage per Gal.	Trowel Size	Coverage per Gal.	RH%	CaCl ₂	pH
960 Wall Base Adhesive	Rubber and Vinyl Wall Base, Millwork Wall Base	1/8 x 1/8 x 1/8 SQ	4" = 200-250 lf. 6" = 100-150 lf. 2.5" = 300-350 lf.	USE 946 PREMIUM CONTACT ADHESIVE		N/A	N/A	N/A
946 Premium Contact Adhesive	Wall Base	Applied with a Brush or Roller 1 kg (.95 quart) unit *24 - 36 sq. ft. per unit 6 kg (1.44 gallon) unit *144 - 215 sq. ft. per unit *Coverage based on both sides		Applied with a Brush or Roller 1 kg (.95 quart) unit *24 - 36 sq. ft. per unit 6 kg (1.44 gallon) unit *144 - 215 sq. ft. per unit *Coverage based on both sides		85%	7 lbs.	9



1-800-874-1930

www.cain-bultman.com



Surface Treatment: Techtonic; **Total Thickness:** 0.125" (3 mm); **Wear Layer Thickness:** 20 mil with Techtonic **Installation Method:** Roll or Glue:


Adhesive: RollSmart, 959, 975; Pattern: Wood, Stone, & Abstract

HEARTHSTONE
7242

CRISTALLO
7235



18" x 18"




SUNTONED TEAK
7523



VINTAGE OAK
3530



TAOS OAK
3605




AMERICAN
CHERRY 3305



CHAMOIS OAK
3606



BLANCHED PINE
5134



HICKORY
3405



6" x 48"

ADHESIVE	PRODUCTS	POROUS SUBSTRATES		NON-POROUS SUBSTRATES		MOISTURE AND pH LIMITS		
		Trowel Size	Coverage per Gal.	Trowel Size	Coverage per Gal.	RH%	CaCl ₂	pH
959HM Vinyl Tile and Plank Adhesive	iD Latitude	1/16 x 1/16 x1/16 Square-notch	125-150 sq. ft.	1/16x 1/32x 1/32 U-notch	250 - 300 sq. ft.	New Concrete		
						99%	10lbs	7 - 12
						2+ Years old Concrete		
						95%	8lbs	7 - 10
975 Two-Part Urethane Adhesive	iD Latitude	1/32 x 1/16 x 1/32 U	225 - 250 sq. ft.	1/32 x 1/16 x 1/32 U	225 - 250 sq. ft.	85%	7 lbs.	9

Summit LVT Collection



SUMMIT



1-800-874-1930

www.cain-bultman.com

www.norwoodhill.com

7 x 48 Planks

Surface Treatment: Resolute Ultra Shield Surface Coating

Installation Method: Full Spread (Above,Below and On-Grade)

Adhesive: Bondlink,Apex Pro or Tufflink

all Colors available in 6mil, 12mil and 20mil



Santa Rosa W7407



Ortega W7408



San Marco W7402



Julington W7403



Waverly W7405



Southwood W7406

**In Stock until current inventory depleted -
Southwood W7406**

Summit Collection Features:

- 7 x 48 Planks all sizes
- 6 on trend wood visuals
- All colors available in 6mil, 12mil and 20mil
- Resolute Ultra Shield Surface Coating
- Floorscore Certified

Warranties:

- 6mil - 2.0mm - 15 Residential/ 5 Year Light Commercial
- 12mil - 2.0mm - 20 Residential/ 7 Year Light Commercial
- 20mil - 2.5mm - 25 Residential/ 15 Year Heavy Commercial

In Stock until current Inventory depleted - 20 mil

The Photo may not reflect the actual color.

Summit LVT Collection



1-800-874-1930

www.cain-bultman.com

www.norwoodhill.com

COMMERICAL

SUMMIT

MULTI-FAMILY

RESIDENTIAL



Julington W7403



Santa Rosa W7407




San Marco W7402

Geniemat RST

Sound Control Underlayment



Brand	Product	Roll Size	TCNA Robinson Test w/ Tile (ASTMC627)
GenieMat	RST02	4' x75'	Extra Heavy Commercial
GenieMat	RST05	4' x 30'	Moderate Commercial
GenieMat	RST10	4" x 15"	Light Commercial



Adhesives

Product Code	Description	UOM / # per Carton	Cartons per Pallet	Estimated Coverage	RH / pH
SIKCOM831400	SikaBond 5800 - 4 GAL	4 Gal Pail	36 Pails	1/16" Notch - 150-180 SF/Gal 1/32" U Notch - 220-260 SF/Gal	99% 7.4-8.0
SIKCOM877918	SikaBond 5800 - 1 GAL	1 Gal Pail	120 Pails	1/16" Notch - 150-180 SF/Gal 1/32" U Notch - 220-260 SF/Gal	99% 7.4-8.0
SIKCOM831401	Sikabond 5900 - 4 GAL	4 Gal Pail	36 Pails	1/16" Notch - 150-180 SF/Gal 1/32" U Notch - 220-260 SF/Gal	99% 7.7
SIKCOM878028	Sikabond 5900 - 1 GAL	1 Gal Pail	120 Pails	1/16" Notch - 150-180 SF/Gal 1/32" U Notch - 220-260 SF/Gal	99% 7.7

Advantage Collection






Solution Dyed Nylon
13" x 39" (nominal)
18 oz/SY
1/12 gauge
5500 Density

15 tiles per carton = 6 Yd2


Ascension Collection

Solution Dyed Nylon
19.7" x 19.7" (nominal)
18 oz/SY
1/12 gauge
5500 Density

20 tiles per ctn = 6 Yd2



North Port Collection



SD Twisted Polypropylene
19.7" x 19.7" (nominal)
18 oz/SY
1/12 gauge
5000 Density

20 tiles per ctn = 6 Yd2



1-800-874-1930


www.cain-bultman.com

QUICK
SHIP

Sheet Vinyl

iQ OPTIMA - 2mm x 6' 5" x 82' 7"**Total Thickness:** 0.080" (2 mm); **Wear Layer Thickness:** 0.080" (2 mm); **Seaming:** Cold Weld/Heat Weld;**Installation Method:** Glue-Down; **Adhesive:** RollSmart, 925, 975;**Key Features:** Homogeneous sheet, Certified Asthma & Allergy Friendly, iQ no wax, no finish construction**KOALA BEAR**
LIGHT BEIGE GREY
873
WELD RODSOLID:
1287524
WELD ROD MULTI:
1290122**BELUGA**
GREY WHITE 886
WELD ROD SOLID:
1291609
WELD ROD MULTI:
1290049**SUMMER MOON**
SOFT WARM WHITE
205
WELD ROD SOLID:
1287838
WELD ROD MULTI:
1290359

PERFORMA

Surface Treatment: PU Mat; **Total Thickness:** 0.080" (2.3 mm); **Wear Layer Thickness:** 25 mil (0.64 mm); **Installation Method:** Glue-Down; **Adhesive:** RollSmart, 925, 975;**Key Features:** Economical heterogeneous sheet solution, Long wear with Best in Category Performance**STONWORK**
DOVER
55031
WELD ROD:
1291215

2mm x 12' x 75'

ADHESIVE	PRODUCTS	POROUS SUBSTRATES		NON-POROUS SUBSTRATES		MOISTURE AND pH LIMITS		
		Trowel Size	Coverage per Gal.	Trowel Size	Coverage per Gal.	RH%	CaCl ₂	pH
925 Resilient Flooring Adhesive	iQ Optima Sheet, Performa	1/32 x 1/16 x 1/32 U	250 - 300 sq. ft.	1/32 x 1/16 x 1/32 U	250 - 300 sq. ft.	85%	7 lbs.	9
975 Two-Part Urethane Adhesive	iQ Optima Sheet, Performa	1/32 x 1/16 x 1/32 U	225 - 250 sq. ft.	1/32 x 1/16 x 1/32 U	225 - 250 sq. ft.	90%	8 lbs.	9
RollSmart	iQ Optima Sheet, Performa	3/8" Nap Paint Roller (used with a paint tray) 350 - 400 sq. ft.		3/8" Nap Paint Roller (used with a paint tray) 350 - 400 sq. ft.		90%	8 lbs.	10
Cold Weld Liquid	iQ Optima Sheet, Performa	4.5 Ounce Tube	175 - 200 ln. ft. per tube	4.5 Ounce Tube	175 - 200 ln. ft. per tube	N/A	N/A	N/A



1-800-874-1930

www.cain-bultman.com

QUICK
SHIP

12" x 12" VCT II

VINYL COMPOSITION TILE


Total Thickness: 0.125" (3.18 mm); Installation Method: Glue-Down



480 PURE WHITE



509 PEWTER



522 STEEL WORKS




533 TRUE BEIGE




556 Sandstone



557 SHOOTING STAR



569 EBONY



579 BLUE DROP



580 MINERAL WHITE




593 MUSHROOM


ADHESIVE	PRODUCTS	POROUS SUBSTRATES		NON-POROUS SUBSTRATES		MOISTURE AND pH LIMITS		
		Trowel Size	Coverage per Gal.	Trowel Size	Coverage per Gal.	RH%	CaCl ₂	pH
100 Clear Thin Spread	VCT II	1/32 x 1/16 x 1/32 U	250 - 300 sq. ft.	1/32 x 1/16 x 1/32 U	250 - 300 sq. ft.	95%	10 lbs.	10
901 SpraySmart Resilient Flooring Spray Adhesive	VCT II	185 sq. ft. per 22 oz. can 1,110 sq. ft. per carton		185sq. ft. per 22 oz. can 1,110 sq. ft. per carton		90%	8 lbs.	10
975 Two-Part Urethane Adhesive	VCT II	1/32 x 1/16 x 1/32 U	225 - 250 sq. ft.	1/32 x 1/16 x 1/32 U	225 - 250 sq. ft.	90%	7 lbs.	10




Rubber Tile & Treads



Black 40



Grey 48



Burnt Umber 63

RT-XX-RD.125

Size: 24" X 24" Thickness: .125" Raised Round Surface

Available Colors: 48 Grey, 40 Black

In stock until current inventory is sold - 63 Burnt Umber

Solid Rubber Tread

Without Risers

Available Colors: 40 Black, 48 Grey 5' length

RNRD-XX-5RD

Raised round Surface, tread (square nose)



Solid Rubber Treads

With Riser One Piece

Available Colors: 40 Black, 48 Grey

In stock until current inventory is sold - 63 Burnt Umber
5' length

RNRDTR-XX-5RD

Raised round Surface, One Piece Tread/Riser (square nose)



ADHESIVE	PRODUCTS	POROUS SUBSTRATES		NON-POROUS SUBSTRATES		MOISTURE AND pH LIMITS		
		Trowel Size	Coverage per Gal.	Trowel Size	Coverage per Gal.	RH%	CaCl ₂	pH
965 Flooring and Tread Adhesive	Rubber Floor Tiles, Rubber and Vinyl Stair Treads	1/16 x 1/16 x 1/16 SQ	125 - 150 sq. ft.	1/16 x 1/16 x 1/16 V	150 - 175 sq. ft.	90%	7 lbs.	7-9
946 Premium Contact Adhesive	Rubber and Vinyl Stair Tread	Applied with a Brush or Roller		Applied with a Brush or Roller		85%	7 lbs.	9
		1 kg (.95 quart) unit	*24 - 36 sq. ft. per unit	1 kg (.95 quart) unit	*24 - 36 sq. ft. per unit			
		6 kg (1.44 gallon) unit	*144 - 215 sq. ft. per unit	6 kg (1.44 gallon) unit	*144 - 215 sq. ft. per unit			
		*Coverage based on both sides		*Coverage based on both sides				
931 Rapid Reaction Epoxy Caulking	Rubber and Vinyl Stair Treads	13.5 ounce Cartridge	1/4' = 50 lf.	13.5 ounce Cartridge	1/4' = 50 lf.	N/A	N/A	N/A

POWER TAPE SELF ADHESIVE TAPE SYSTEM INSTALLATION KITS

Type	SAP Part Number	Unit Size	Approx. Lbs Per Unit	Coverage
301 TREAD TAPE 9.5" (1 ROLL @ 9.5")	297038301	Roll (1 Per Box)	10	164 Lineal Feet/Roll
302 TREAD & RISER TAPE 9.5" (2 ROLLS @ 9.5")	297038302	Roll (2 Per Box)	19	164 Lineal Feet/Roll
310 1" TAPE (12 ROLLS @ 1")	297038310	Roll (12 Per Box)	12	164 Lineal Feet/Roll
315 1.5" TAPE (8 ROLLS @ 1.5")	297038315	Roll (8 Per Box)	12	164 Lineal Feet/Roll




Subfloor Leveler System

Available Color: 40 Black

LS40

4' pieces

Reduces 1/4" to 0." Can be cut at score line to reduce height as indicated.



ADHESIVE	PRODUCTS	POROUS SUBSTRATES			NON-POROUS SUBSTRATES		MOISTURE AND pH LIMITS		
		Trowel	Size	Coverage per Gal.	Trowel	Size	Coverage per Gal.	RH%	CaCl ₂
925 Resilient Flooring Adhesive	Subfloor Leveler System		1/32 x 1/16 x 1/32 U	250 - 300 sq. ft.		1/32 x 1/16 x 1/32 U	250 - 300 sq. ft.	85%	7 lbs.
965 Flooring and Tread Adhesive	Subfloor Leveler System		1/16 1/16 x 1/16 SQ	125 - 150 sq. ft.		1/16 x 1/16 x 1/16 V	150 - 175 sq. ft.	85%	7 lbs.
									pH
									9
									7-9


Finishing Accessories

Edge Guards


EG-XX-G / EG-XX-H

Available Colors:

20 Charcoal, 40 Black, 63 Burnt Umber



EG-XX-G
5/16" material to floor



EG-XX-H
1/4" material to floor



1-800-874-1930
www.cain-bultman.com

QUICK
SHIP



Finishing Accessories

T Moldings **NEW**

CD-XX

Available Colors:

40 Black, 47 Brown, 63 Burnt Umber
Umber





CD-XX
1/4" and 5/16" to material of same height

Track Base

MT-00-A

Aluminum Track-Pinless
for glue-down Installation
Length 12ft





Reducer

SSR-XX-B

Available Colors:

40 Black




SSR-XX-B
35' Roll
1/16" through 1/8" material to floor

Adaptors

CTA-XX-A

Available Colors:

20 Charcoal, 40 Black, 63 Burnt Umber




CTA-XX-A
1/4" to 1/8" material

Wheeled Traffic Transitions

CTA-XX-J

Available Color:



40 Black



CTA-XX-J
1/4" material to subfloor

Cove Filler


CFS-00A




Cove Cap

SCC-XX-A

Available Colors: 49 Beige, 24 Gray Haze,
09 Clay




SCC-XX-A
For 1/8" material 49 Beige



Self Stick Tub Moulding

TM50

1-1/2" height (self-stick) Luster finish
cove for bathtub, counter and
shelves. Available in 50 White only.



www.cain-bultman.com

ADHESIVE	PRODUCTS	POROUS SUBSTRATES		NON-POROUS SUBSTRATES		MOISTURE AND pH LIMITS		
		Trowel Size	Coverage per Gal.	Trowel Size	Coverage per Gal.	RH%	CaCl ₂	pH
RollSmart	Metal Edge	3/8" Nap Paint Roller (used with a paint tray) 350 - 400 sq. ft.		3/8" Nap Paint Roller (used with a paint tray) 350 - 400 sq. ft.		90%	8 lbs.	10
946 Premium Contact Adhesive	Transitions / Finishing Accessories	Applied with a Brush or Roller 1 kg (.95 quart) unit *24 - 36 sq. ft. per unit 6 kg (1.44 gallon) unit *144 - 215 sq. ft. per unit *Coverage based on both sides		Applied with a Brush or Roller 1 kg (.95 quart) unit *24 - 36 sq. ft. per unit 6 kg (1.44 gallon) unit *144 - 215 sq. ft. per unit *Coverage based on both sides		85%	7 lbs.	9
310 1" TAPE (12 ROLLS @ 1")	Wheeled Traffic Transitions					80%	5 lbs.	9
315 1 5" TAPE (8 ROLLS @ 1.5")	Wheeled Traffic Transitions							

Adhesives, Underlayments



1-800-874-1930

QUICK
SHIP

Resilient Flooring Adhesives

SikaBond 5800
Available Sizes
4 Gallon | 1 Gallon



SikaBond 5900
Available Sizes
4 Gallon | 1 Gallon



NEW

Self Leveling Underlayments & Patches

SikaLevel 025
Available Sizes
25 lb bag



SikaLevel 225
Available Sizes
55 lb bag



SikaLevel 325
Available Sizes
55 lb bag



SikaLevel Skimcoat
Available Sizes
10 lb bag



SikaLevel 01 Plus
Available Sizes
1 Gallon Pail



SikaLevel 02 EZ Primer
Available Sizes
1 Gallon Pail



Wood Adhesives

SikaBond T21
4 Gallon Pail



SikaBond T85
4 Gallon Pail



SikaBond T17
4 Gallon Pail



Other Adhesives & Substrates Solutions

SikaBond 910 Construction adhesive

Available Sizes

10 oz
cartridge



Sika MB EZ Rapid



Sika MB Kit



Product Code	Description	UOM / # per Carton	Cartons per Pallet	Estimated Coverage	RH / pH
SIKCOM831400	SikaBond 5800 - 4 GAL	4 Gal Pail	36 Pails	1/16" Notch - 150-180 SF/Gal 1/32" U Notch - 220-260 SF/Gal	99% 7.4-8.0
SIKCOM877918	SikaBond 5800 - 1 GAL	1 Gal Pail	120 Pails	1/16" Notch - 150-180 SF/Gal 1/32" U Notch - 220-260 SF/Gal	99% 7.4-8.0
SIKCOM831401	Sikabond 5900 - 4 GAL	4 Gal Pail	36 Pails	1/16" Notch - 150-180 SF/Gal 1/32" U Notch - 220-260 SF/Gal	99% 7.7
SIKCOM878028	Sikabond 5900 - 1 GAL	1 Gal Pail	120 Pails	1/16" Notch - 150-180 SF/Gal 1/32" U Notch - 220-260 SF/Gal	99% 7.7
SIKCOM649187	SikaLevel 025 Patch	25 lb Bag	96 Bags	25-30 sf at 1/8" depth	
SIKCOM532621	SikaLevel 225	55 lb Bag	48 Bags	28 sf at 1/4" depth	< 75%
SIKCOM515280	SikaLevel 325	55 lb Bag	48 Bags	26 sf at 1/4" depth	< 75%
SIKCOM582499	SikaLevel Skimcoat	10 Lb Bag	192 Bags	35 sf at 1/8" depth	< 75%
SIKCOM536430	SikaLevel 01 Primer Plus	1 Gallon Pail	90 Pails	Undiluted ~500 sf, 1:1 dilution 600-700 sf	Max 75 %
SIKCOM503598	SikaLevel 02 EZ Primer	1 Gallon Pail	90 Pails	325-500 ft ²	<75 %
SIKCOM776374	SikaBond 910 Construction Adhesive	10 oz Cartridge	105 Cartridges		
SIKCOM740331	Sika MB Rapid	2.5 Gallon Jug	90 Jugs	~1,000 sf 1 coat ~500 sf 2 coats	≥ 40% RH
SIKCOM401521	Sika MB Kit (A B, Solvent Free)	2.64 Gallon	48 Eaches	250-300 sf moisture barrier 400-450 sf adhesion promoter	
SIK749290	SikaBond T21	4 Gallon Pail	27 Pails	30-35 45-50 80 M AO UO	40-70% RH
SIK861390	SikaBond T85	4 Gallon Pail	36 Pails	See Product Data Sheet for details	40-70% RH
SIK749711	SikaBond T17	4 Gallon Pail	36 Pails	30-35 35-40 80 M AO UO	40-70% RH

M- Moisture | MS -Moisture & Sound | AO- Adhesive Only | UO -Underlayment



Cain & Bultman, Inc
2145 Dennis St
Jacksonville, FL 32204
(904) 356-4812 or (800) 874-1930
www.cainbultman.com

QUICK 
SHIP

05/2026